

- NL719 Meadow Blanket 20 mm

- NL630 Growing Media 150 mm depth

- NL400 Filter Fabric 0.5 mm

- NL300 Drainage Mat 17 mm

-Insulation (by others)

-NL120 Root Barrier 0.5 mm (Note: Installed underneath insulation)

Protected membrane roof assembly-Roofing membrane below insulation (See architectural drawings)

- NL719 Meadow Blanket 20 mm
— NL630 Growing Media 150 mm depth
- NL400 Filter Fabric 0.5 mm
/ NL300 Drainage Mat 17 mm
/ Insulation (by others)
 NL120 Root Barrier 0.5 mm (Note: Installed underneath insulation)
Protected membrane roof assembly- — Roofing membrane below insulation (See architectural drawings)
ail



Next Level Stormwater Management 18 King Street East, Suite 1400, Toronto, Ontario, Canada, M5C 1C4 T: 416.637.5772 F: 416.352.1891 Email: info@nlsm.ca www.nlsm.ca

Contractors must verify all dimensions and conditions in the field. any discrepancy must be reported to Next Level Stormwater Management prior to construction. This drawing must not be used for construction unless sealed and signed by the architect. These drawings are the property of Next Level Stormwater Management and must be returned upon completion of the work.© 2017 Next Level Stormwater Management all rights reserved. Not to be reproduced or released in any form without the written authorization of Next Level Stormwater Management .

Client:

Project Name

Location

Date

Roofing Assembly

Protected Membrane Roof

Drawing Name

NL719 Alpine Meadow

Drawing No .:

Scale:

NTS

CADfile